


SC3-LARGO • Resources w. 1+8 Slots Backplane (System Slot Left)




© EKF • ekf.com

system slot connector assignment numbers in brackets (e.g. SATA PCH (7-8) according to the CPCI-5.0 specification table 44/45

SATA (PCH) assigned connectors are Intel QM87 Platform Controller Hub derived ports

SATA (RAID) assigned connectors are Marvell 88SE9230 hardware RAID controller derived ports (may be operated non RAID)

SC3-LARGO • Resources w. 1+8 Slots Backplane (System Slot Right)




© EKF • ekf.com

system slot connector assignment numbers in brackets (e.g. SATA PCH (7-8) according to the CPCI-5.0 specification table 44/45

SATA (PCH) assigned connectors are Intel QM87 Platform Controller Hub derived ports

SATA (RAID) assigned connectors are Marvell 88SE9230 hardware RAID controller derived ports (may be operated non RAID)

SC3-LARGO • Resources w. 1+4 Slots Backplane (System Slot Left)




© EKF • ekf.com

system slot connector assignment numbers in brackets (e.g. SATA PCH (7-8) according to the CPCI-5.0 specification table 44/45

SATA (PCH) assigned connectors are Intel QM87 Platform Controller Hub derived ports

SATA (RAID) assigned connectors are Marvell 88SE9230 hardware RAID controller derived ports (may be operated non RAID)

SC3-LARGO • Resources w. 1+4 Slots Backplane (System Slot Right)



© EKF • ekf.com

system slot connector assignment numbers in brackets (e.g. SATA PCH (7-8) according to the CPCI-5.0 specification table 44/45

SATA (PCH) assigned connectors are Intel QM87 Platform Controller Hub derived ports

SATA (RAID) assigned connectors are Marvell 88SE9230 hardware RAID controller derived ports (may be operated non RAID)